Product Alkaline Foam Cleaner

Revision Date 25/06/2015

Revision

01/05/2008 **Supersedes Date**

SAFETY DATA SHEET



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Alkaline Foam Cleaner

Product code 710

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN 028 9081477 02890812881

sales@kitchenmaster-ni.com

Contact Person SDS Contact: sds@kitchenmaster-ni.com

1.4. Emergency telephone number

Emergency Telephone Number: 028 9081 4777 08:30 – 17:00 Monday to Thursday 08:30 – 16:30 Friday

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1 Classification (EC 1272/2008)

Physical and Chemical

Hazards

Not classified.

Skin Corr. 1B - H314 **Human Health**

Not classified. **Environment**

2.1.2 Classification (1999/45/EEC)

R36/38.

2.2. Label elements

2.2.1 Label in Accordance With (EC) No. 1272/2008

Contains Not applicable

Pictogram(s)



Signal Word Danger

Hazard Statements H314 Causes severe skin burns and eye damage.

Precautionary Statements P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing

P310 Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This product is a preparation.

3.2. Mixtures

| Product name | Product identifier | REACH Registration | % | Classification (1999/45/EEC) | Classification (EC 1272/2008) |
|-----------------------------|----------------------------------|---------------------------|-------|---|--|
| 2-BUTOXYETHANOL | CAS: 111-76-2 EC: 203-905-0 | 01-2119475108-36- xxxx | 1-10% | Xn;R20/21/22 Xi;R36/38 | Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 |
| DISODIUM METASILICATE | CAS: 6834-92-0 EC: 229-912-9 | | 1-10% | C;R34 Xi;R37 | Skin Corr. 1B - H314 STOT SE 3 - H335 |
| FORMALDEHYDE | CAS: 50-00-0 EC: 200-001-8 | | < 1% | Carc. Cat. 3;R40 T;R23/24/25 C;R34 R43 | Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Carc. 2 - H351 STOT SE 3 - H335 |
| SODIUM ALKANE SULPHONATE | CAS: 85711-69-9 EC: 288-330-3 | | 1-10% | Xi;R38,R41. | Skin Irrit. 2 - H315 Eye Dam. 1 - H318 |
| SODIUM HYDROXIDE | CAS: 1310-73-2 EC: 215-185-5 | | < 1% | C;R35. | Skin Corr. 1A - H314 |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

 $\label{process} \mbox{Formaldehye is used in the raw material manufacturing process.}$

The data shown is in accordance with the latest EC directives.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Information General first aid, rest, warmth and fresh air.

Inhalation Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical

attention

Ingestion Remove victim immediately from source of exposure. Rinse mouth thoroughly. Do not induce vomiting.

Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. Get medical

attention immediately!

Skin contact Remove victim immediately from source of exposure. Remove contaminated clothes and rinse skin

thoroughly with water. Contact physician if irritation continues or sores develop.

Eye contact Remove victim immediately from source of exposure. Make sure to remove any contact lenses from

the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention. Obtain medical attention for all cases where

eye contact occurs

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Inhalation of mist or vapor may cause respiratory tract irritation

Ingestion May cause chemical burns in mouth and throat. May cause severe internal injury.

Skin contact Corrosive. Causes severe skin burns

Eye contact Extreme irritation of eyes and mucous membranes, including burning and tearing. Corrosive to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing Media This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products When heated, toxic and corrosive vapours/gases may be formed. During fire, toxic gases

(CO, CO2) are formed

Unusual Fire & Explosion Hazards No unusual fire or explosion hazards noted.

Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

5.3. Advice for firefighters

Special Fire Fighting Procedures If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed

spaces before entering them. Containers close to fire should be removed immediately or

cooled with water

Protective equipment for fire-fighters Self contained breathing apparatus and full protective clothing must be worn in case of fire

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. In case of inadequate ventilation, use respiratory protection.

6.2. Environmental precautions

Do not discharge onto the ground or into water courses

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. DO NOT touch spilled material! When dealing with a spillage, please consult the section relating to suitable protective measures. Wear necessary protective equipment. Absorb spillage with non-combustible, absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Do not handle broken packages without protective equipment. Do not use contact lenses. Keep away from heat, sparks and open flame.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep upright. Do not mix with other chemicals. Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store seperate from other products which react with acids or bases and strong oxidising agents.

7.3. Specific end use(s)

Usage Description

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

| Name | STD | TWA | 8 Hrs | STEL | 15 Min | Notes |
|---------------------|-----|--------|------------|--------|------------|-------|
| FORMALDEHYDE | OEL | 2 ppm | 2.5 mg/ m3 | 2 ppm | 2.5 mg/ m3 | |
| | WEL | 2 ppm | 2.5 mg/ m3 | 2 ppm | 2.5 mg/ m3 | |
| SODIUM HYDROXIDE | OEL | - | | - | 2 mg/m3 | - |
| HYDROXIDE | WEL | No Std | No Std | No Std | 2 mg/m3 | |

Ingredient Comments

OEL - Occulational Exposure Limit - Ireland, Occupational Exposure Limits 2011 WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits

8.2. Exposure controls

8.2.1 Engineering measures

Provide adequate ventilation.

8.2.3 Protective equipment



Eye protection

Wear safety goggles in accordance with EN166. Eye protection equipment should be tested and approved according to regulations applicable, like NIOSH (US) or EN 166 (EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber gloves are recommended. Layer thickness 0.11mm.Breakthrough time > 480 minutes.)

Other protection

Provide eyewash station

8.2.4 Hygiene measures

Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke. Take off immediately all contaminated clothing. Avoid contact with skin, eyes and clothing.

8.2.5 Environmental Exposure Controls

Keep container tightly sealed when not in use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Liquid a) **Appearance** Colour Green b) Odour No information available c) d) pH-Value, Conc. Solution e) Melting point (°C) No information available No information available f) Initial boiling point and boiling range (°C) No information available Flash point (°C) g) h) **Evaporation rate** No information available i) **Evaporation Factor** No information available Flammability Limit - Lower(%) No information available j) k) Flammability Limit - Upper(%) No information available Vapour pressure No information available I) m) No information available Vapour density (air=1) Relative density 1.040+/- 0.005 n) **Bulk Density** No information available o) Solubility No information available p) Decomposition temperature (°C) No information available q) s) Partition coefficient; n-octanol/water No information available t) Auto Ignition Temperature (°C) No information available u) **Viscosity** No information available V) **Explosive properties** Not considered to be explosive **Oxidising properties** Does not meet the criteria for oxidising

9.2. Other information

No information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reaction with Oxidisers.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Reaction with: See section 10.1 for information on hazardous reactions.

Hazardous Polymerisation Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid contact with oxidisers. Do not mix with other chemicals unless listed on directions. Avoid storing in large quantities or for long periods of time.

10.5. Incompatible materials

Materials To Avoid Avoid oxidising substances. Do not mix with other chemicals unless listed on directions.

10.6. Hazardous decomposition products

During fire, toxic gases (CO, CO2) are formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

11.1.1 Toxicological Information

No toxicological information for the overall finished product.

Toxicological Information on ingredients

| Name | Identifier | Acute Toxicity (Oral LD50) | Acute Toxicity (Dermal LD50) | Acute Toxicity (Inhalation LC50) |
|-----------------------|----------------|---|---|--|
| 2-BUTOXYETHANOL | CAS: 111-76-2 | 1746 mg/kg Rat REACH dossier information | 0.63 mL/kg Rabbit REACH dossier information | 450 ppm (vapours) Rat 4 hours REACH dossier information |
| DISODIUM METASILICATE | CAS: 6834-92-0 | 994 mg/kg Rat REACH dossier information | > 3000 mg/kg Rat REACH dossier information | > 2.06 mg/l (vapours) Rat REACH dossier information |
| FORMALDEHYDE | CAS: 50-00-0 | LD50 of 800 mg/kg bw Rat REACH dossier information | No information available | RD50 of 38 mg/m³ Rat REACH dossier information |

| Name | Identifier | Acute Toxicity (Oral LD50) | Acute Toxicity (Dermal LD50) | Acute Toxicity (Inhalation LC50) |
|-----------------------------|-----------------|-------------------------------|------------------------------|----------------------------------|
| SODIUM ALKANE SULPHONATE | CAS: 85711-69-9 | 500 mg/kg Rat | No information available | No information available |
| | | IUCLID chemical data sheet. | | |
| SODIUM HYDROXIDE | CAS: 1310-73-2 | 325 mg/kg bw Rabbit | 1350 mg/kg Rabbit | No information available |
| | | REACH dossier information | IUCLID chemical data sheet. | |

11.1.2 Acute toxicity:

Acute Toxicity (Oral LD50)No toxicological information for the overall finished product.Acute Toxicity (Dermal LD50)No toxicological information for the overall finished product.Acute Toxicity (Inhalation LC50)No toxicological information for the overall finished product.

11.1.3 Skin Corrosion/Irritation:

Corrosive. Causes severe skin burns

11.1.4 Serious eye damage/irritation:

Extreme irritation of eyes and mucous membranes, including burning and tearing. Corrosive to eyes.

11.1.5 Respiratory or skin sensitisation:

Respiratory sensitisation Inhalation of mist or vapor may cause respiratory tract irritation

Skin sensitisation May cause chemical burns in mouth and throat. May cause severe internal injury.

11.1.6 Germ cell mutagenicity:

Genotoxicity - In Vitro

No information available.

No information available.

11.1.7 Carcinogenicity:

Carcinogenicity No information available.

11.1.8 Specific target organ toxicity - single exposure:

STOT - Single exposure

No information available.

STOT - Repeated exposure

No information available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

12.2. Toxicity

No ecological toxicity available on the overall finished product.

Ecological Information on ingredients

| Name | Identifier | Acute Toxicity – Aquatic Invertebrates | Acute Toxicity – Aquatic Plants | Acute Toxicity – Fish |
|-----------------------------|-----------------|--|---|---|
| 2-BUTOXYETHANOL | CAS: 111-76-2 | EC50 48 hours 1550 mg/l Daphnia magna REACH dossier information | EC50: 72 hr =911mg/l NOEC :72hr= 88mg/l Pseudokirchnerella subcapitata REACH dossier information | LC50 96 hours 1474 mg/l Onchorhynchus mykiss (Rainbow trout) REACH dossier information |
| DISODIUM METASILICATE | CAS: 6834-92-0 | EC50 48 hours 7.8 pH Daphnia magna REACH dossier information | EC50 72 hours 207 mg/l Desmodesmus subspicatus REACH dossier information | LC50 96 hours 210 mg/l Brachydanio rerio (Zebra Fish) REACH dossier information |
| FORMALDEHYDE | CAS: 50-00-0 | 48 hours 1.9 mg/L Daphnia pulex REACH dossier information | EC50 72 hours 03.48 mg/L Desmodesmus subspicatus (reported as Scenedesmus subspicatus) REACH dossier information | LC50 96 hours 6.7 mg/L Morone saxatilis (striped bass) REACH dossier information |
| SODIUM ALKANE SULPHONATE | CAS: 85711-69-9 | EC50 24 hours 12.5 mg/l Daphnia magna IUCLID chemical data sheet. | EC50 72 hours 95.5 mg/l NOEC 72 hours 20.1 mg/l Scenedesmus subspicatus IUCLID chemical data sheet. | LC50 96 hours 1 mg/l Brachydanio rerio (Zebra Fish) NOEC 96 hours 4 Poecilia reticulata IUCLID chemical data sheet. |
| SODIUM HYDROXIDE | CAS: 1310-73-2 | EC50 48 hours 40.4 ug/L Ceriodaphnia sp REACH dossier information | No information available | LC50 96 hours 45.4 mg/l Onchorhynchus mykiss (Rainbow trout) IUCLID chemical data sheet. |

12.3. Persistence and degradability

Degradability The degradability of the product has not been stated.

12.4 Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.5. Mobility in soil

Mobility: The product is soluble in water.

12.6. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN) 1760 UN No. (IMDG) 1760 UN No. (ICAO) 1760

14.2. UN proper shipping name

Proper Shipping Name CORROSIVE LIQUID, N.O.S. (DISODIUM METASILICATE, SODIUM HYDROXIDE)

14.3. Transport hazard class(es)

ADR/RID/ADN 8
ADR/RID/ADN Class 8
ADR Label No. 8
IMDG Class 8
ICAO Class/Division 8

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing III

group

IMDG Packing group III
ICAO Packing group III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant No.

14.6. Special precautions for user

EMS F-A, S-B
Emergency Action Code 2X
Hazard No. (ADR) 80

Tunnel Restriction Code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1.1 EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.1.2 Approved Code of Practice

2014 Code of Practice for the Safety, Health and Welfare at Work(Chemical Agents) Regulations 2001 (S.I. No. 619 of 2001)

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Indication of Changes

Revision Date 25/06/2015

Revision 2

Risk Phrases in Full R34

R35 R20/21/22 R36/38 R37 R38

R40 R43 R41

R23/24/25

Hazard Statements In Full

H318 H319

H314

H315

H332

H302

H312

H317

H335 H351

H331

H301 H311

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.