
Table & Floor Scraper, 245 mm, Blue





Remove/loosen stubborn food debris or eg. labels from floors and other surfaces with this table and floor scraper. Features a very durable and solid stainless-steel blade.

Can be used with any threaded Vikan handle.

Technical Data

Blade Thickness 1 mm Connection Threaded Material Polypropylene Stainless Stele (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ECR 21¹ Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes FFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Width 245 mm Net Weight bag (Recycling Symbol "4") 0.087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave)	Item Number	29083
Material Polypropylene Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (ER) 21¹ Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Width 245 mm Product Height 0.0087 kg Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.023 kg Gross Weight 0.19 kg Cubic metre 0.00949 m3 Recommended sterilisation temperature (Autoclave)	Blade Thickness	1 mm
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation (FR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes FFAS, Phthalates and BPA Intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 700 Pcs. Quantity Per Layer (Pallet) 325 mm Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature² 70 °C GTIN-13 Number<	Connection	Threaded
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Tox Pcs. Box Length/Depth Box Width 235 mm Box Width 235 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Length/Depth 325 mm Net Weight 125 mm Net Weight Weight bag (Recycling Symbol "4") Weight cardboard (Recycling symbol "20" PAP) Total Tare Weight 0.019 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Min. usage temperature (non food contact) Min. usage temperature (Fore the second of Contact) Min. usage temperature (Box quantity) Country of Origin ISO Code DK	Material	
Manufacturing Practice Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight 0.171 kg Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Dishwasher) 93 °C Min. usage temperature (Fox quantity) 15705022046214 GTIN-13 Number 5705022046214 GTIN-14 Number (Bo	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)700 Pcs.Quantity Per Layer (Pallet)325 mmBox Length/Depth325 mmBox Width235 mmBox Height160 mmProduct Length/Depth31 mmProduct Width245 mmProduct Height0.171 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0152 kgTotal Tare Weight0.19 kgCubic metre0.000949 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. usage temperature (Inon food contact)170 °CMin. usage temperature (Fost quantity)15705022046214GTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	·	Yes
Complies with California Proposition 65 Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight 0.171 kg Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.0239 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature* 5705022046214 GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code	Complies with FDA RegulationI CFR 21 ¹	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight 0.171 kg Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.0239 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 170 °C Min. usage temperature* 5705022046214 GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code <th>Complies with REACH Regulation (EC) No. 1907/2006</th> <th>Yes</th>	Complies with REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.0239 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperatures -20 °C GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705022046214 Customs Tariff Number 82159910 Country of Origin ISO Code DK	Complies with California Proposition 65	Yes
Quantity per Pallet (80 x 120 x approx.180 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight 0.171 kg Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.0239 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 170 °C Min. usage temperatures -20 °C GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code DK	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 70 Pcs. Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight 0.171 kg Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.0239 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code DK	Box Quantity	10 Pcs.
Box Length/Depth 325 mm Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.0239 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code DK	Quantity per Pallet (80 x 120 x approx.180 cm)	700 Pcs.
Box Width 235 mm Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight 0.171 kg Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.0239 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code DK	Quantity Per Layer (Pallet)	70 Pcs.
Box Height 160 mm Product Length/Depth 31 mm Product Width 245 mm Product Height 125 mm Net Weight 0.171 kg Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.0239 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code DK	Box Length/Depth	325 mm
Product Length/Depth31 mmProduct Width245 mmProduct Height125 mmNet Weight0.171 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0152 kgTotal Tare Weight0.0239 kgGross Weight0.19 kgCubic metre0.000949 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Box Width	235 mm
Product Width245 mmProduct Height125 mmNet Weight0.171 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0152 kgTotal Tare Weight0.0239 kgGross Weight0.19 kgCubic metre0.000949 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Box Height	160 mm
Product Height125 mmNet Weight0.171 kgWeight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0152 kgTotal Tare Weight0.0239 kgGross Weight0.19 kgCubic metre0.000949 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Product Length/Depth	31 mm
Net Weight 0.171 kg Weight bag (Recycling Symbol "4") 0.0087 kg Weight cardboard (Recycling symbol "20" PAP) 0.0152 kg Total Tare Weight 0.0239 kg Gross Weight 0.19 kg Cubic metre 0.000949 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code DK	Product Width	245 mm
Weight bag (Recycling Symbol "4")0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0152 kgTotal Tare Weight0.0239 kgGross Weight0.19 kgCubic metre0.000949 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Product Height	125 mm
Weight cardboard (Recycling symbol "20" PAP)0.0152 kgTotal Tare Weight0.0239 kgGross Weight0.19 kgCubic metre0.000949 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Net Weight	0.171 kg
Total Tare Weight0.0239 kgGross Weight0.19 kgCubic metre0.000949 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Weight bag (Recycling Symbol "4")	0.0087 kg
Gross Weight0.19 kgCubic metre0.000949 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Weight cardboard (Recycling symbol "20" PAP)	0.0152 kg
Cubic metre0.000949 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Total Tare Weight	0.0239 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Gross Weight	0.19 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Cubic metre	0.000949 M3
Max usage temperature (non food contact)170 °CMin. usage temperature³-20 °CGTIN-13 Number5705022046214GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ -20 °C GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code DK	Max. cleaning temperature (Dishwasher)	93 °C
GTIN-13 Number 5705022046214 GTIN-14 Number (Box quantity) 15705028046222 Customs Tariff Number 82159910 Country of Origin ISO Code DK	Max usage temperature (non food contact)	170 °C
GTIN-14 Number (Box quantity)15705028046222Customs Tariff Number82159910Country of Origin ISO CodeDK	Min. usage temperature³	-20 °C
Customs Tariff Number82159910Country of Origin ISO CodeDK	GTIN-13 Number	5705022046214
Country of Origin ISO Code DK	GTIN-14 Number (Box quantity)	15705028046222
	Customs Tariff Number	82159910
Country of Origin Denmark	Country of Origin ISO Code	DK
	Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.