

2973Q2



Aluminium Telescopic Waterfed Handle with metal coupling (Q), 1600 - 2780 mm, Ø32 mm, Green



Ergonomically designed to improve the user's working position, this water-fed telescopic handle with quick-release coupling hose and comfortable grip is easy to adjust to the required length. Fits any water-fed Vikan product including the condensation squeegee (7716x).. Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.

Technical Data

Item Number	2973Q2
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
SCIP number	e49c50b5-7653-429c-b8f3-803d37b5fefc
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs.
Quantity Per Layer (Pallet)	20 Pcs.
Box Length	1645 mm
Box Width	140 mm
Box Height	85 mm
Product Diameter	32 mm
Length/Depth	1600 mm
Width	32 mm
Height	32 mm
Max. Length	2780 mm
Net Weight	1,02 kg
Weight cardboard	0,0828 kg
Tare total	0,0828 kg
Gross Weight	1,1 kg
Cubik metre	0,001638 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Max. bars pressure	6 Bar
GTIN-13 Number	5705022973206
GTIN-14 Number (Box quantity)	15705022973203
Customs Tariff No.	76082020

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

3. Do not store the product below 0° Celsius.