## Dough Cutter/Scraper, Stainless Steel Blade, Flexible, 146 mm, Yellow







Vikan's Dough Cutter/Scraper is a baker's best companion. It cuts and handles dough, removes sticky messes that would clog a brush, and deftly deals with burnt-on foods on tables and cutting boards. The flexible, 0.5 mm stainless-steel blade is excellent at cutting many types of dough, cooked pastries, and other soft foods. The blade is slightly rounded on the edges to avoid cutting users' hands. The polypropylene grip is durable and moulded securely around the blade. An ergonomic finger rest makes the Dough Cutter/Scraper easy to grip and use repetitively. The drop-shaped hanging hole makes storage on a wall bracket or shadow board easy. This scraper is an essential tool for the food industry, including processing plants, commercial kitchens, restaurants, and supermarkets.

## **Technical Data**

Item Number	40576	
Blade Thickness	0.5 mm	
Material	Polypropylene Stainless Steel (AISI 304)	
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes	
Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes	
Complies with UK 2019 No. 704 on food contact materials	Yes	
Complies with REACH Regulation (EC) No. 1907/2006	Yes	
Complies with California Proposition 65	Yes	
Complies with Halal and Kosher	Yes	
PFAS, Phthalates and BPA intentionally added	No	
Box Quantity	5 Pcs.	
Quantity per Pallet (80 x 120 x approx.180 cm)	1600 Pcs.	
Quantity Per Layer (Pallet)	80 Pcs.	
Box Length/Depth	245 mm	
Box Width	168 mm	
Box Height	65 mm	
Product Length/Depth	146 mm	
Product Width	30 mm	
Product Height	115 mm	
Net Weight	0.121 kg	
Weight cardboard (Recycling symbol "20" PAP)	0.018 kg	
Total Tare Weight	0.018 kg	
Gross Weight	0.14 kg	
Cubic metre	0.000504 M3	
Max usage temperature (non food contact)	170 °C	
Min. usage temperature <sup>3</sup>	-20 °C	
GTIN-13 Number	5705022043978	
GTIN-14 Number (Box quantity)	15705028043986	
Customs Tariff Number	82159910	
Country of Origin ISO Code	DK	
Country of Origin	Denmark	

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

<sup>1.</sup> See Declaration of Compliance for further details on food contact

3. Do not store the product below  $0^{\circ}$  Celsius.