ProductPine DisinfectantRevision date10 July 2017

Revision 1



Safety Data Sheet (SDS)

Section 1: Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier

Product name Pine Disinfectant

Product no. 806

Synonyms, Trade names No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant

Uses advised against No uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN United Kingdom

Tel: 028 9081477 02890812881

Contact person sales@kitchenmaster-ni.com

1.4 Emergency telephone number

Emergency telephone Emergency Telephone Number: 028 9081 4777 08:30 - 17:00 Monday to Thursday 08:30 -

16:30 Friday

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Not classified Human health Not classified

Environment Aquatic Chronic 3 - H412

2.2 Label elements

Contains Not applicable

Label in accordance with (EC) no.

1272/2008

No pictogram required

Signal word No Signal Word

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements Disposal

P501 Dispose of contents/ container to a licensed industrial waste disposal agent.

Prevention

P273 Avoid release to the environment.

2.3 Other hazards

None known.

Section 3: Composition/identification of ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
Benzyl-C12-14-alkyldimethylammonium chlorides	CAS-No.: 85409-22-9 EC No.: 939-350-2 REACH Reg No.: 01-2119970550-39-0000	Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410, Acute Tox 4 - H302, Skin Corr. 1B - H314, Eye Dam. 1 - H318	0.1-0.9%
lethanol	CAS-No.: 64-17-5 EC No.: 200-578-6	Eye Irrit.2A - H319, Flam. Liq 2- H225	0.001-0.9%

The full text for all hazard statements are displayed in section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

Section 4: First aid measures

Eye contact

4.1 Description of first aid measures

General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if

symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during

rescue.

Inhalation Move the exposed person to fresh air at once. Get medical attention if any discomfort

 $continues. \ If \ breathing \ is \ difficult, \ provide \ oxygen. \ If \ not \ breathing, \ give \ artificial \ respiration$

and get medical attention.

Ingestion Do not induce vomiting. Thoroughly rinse the mouth with water. If vomiting occurs, keep

head low so that stomach content doesn't enter the lungs. Get medical attention if discomfort

occurs. Never give anything by mouth to an unconscious person.

Skin contactRemove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with water. Get medical attention if irritation develops or persists.

Avoid contaminating unaffected eye. Immediately flush eyes with plenty of water for at least

15 minutes, lifting lower and upper eyelids occasionally. Remove contact lenses if present

and easy to do so. Get prompt medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Inhalation of mist and vapour may produce respiratory tract irritation.

Ingestion Exposure to liquid product may cause irritation to mouth, throat and esophagus.

Skin contact Skin contact can produce mild skin irritation

Eye contact May cause eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1 Extinguishing media

Extinguishing media Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media No unsuitable extinguishing media.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products When heated, vapours/gases hazardous to health may be formed.

 $\begin{tabular}{ll} \textbf{Unusual fire \& explosion hazards} & \textbf{No unusual fire or explosion hazards noted.} \end{tabular}$

Specific hazards No specific hazards are identified for the product.

5.3 Advice for firefighters

Special fire fighting procedures Ventilate closed spaces before entering them. If possible, fight fire from protected position.

Keep up-wind to avoid fumes. Water spray should be used to cool containers.

Protective equipment for firefighters Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for firefighters (including helmets, protective boots and gloves) conforming to European standard

EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation

of vapours and contact with skin and eyes. Eliminate all sources of ignition, Provide adequate ventilation. In case of inadequate ventilation, use respiratory protection. Do not touch or

walk through spilled material. Wash hands after use.

Follow safe handling advice and personal protective equipment recommendations for normal For emergency responders

use of product.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Discharge into the environment must be **Environmental precautions**

6.3 Methods and material for containment and cleaning up

Spill clean up methods Stop leak if possible without risk. Absorb spillage with non-combustible, absorbent material -

> sand. In case of a large scale of spill, dyke area with sand to stop the spill spreading. Flush with plenty of water to clean spillage area. Floors may become slippery, avoid falls. Place

waste material into suitable labelled sealed containers for disposal.

6.4 Reference to other sections

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling Use proper personal protection when handling (refer to Section 8). Avoid spilling, skin and

eye contact. Avoid inhalation of vapours. Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Do not mix with other chemicals. When using, do not eat, drink or smoke. Wash thoroughly after handling. Do not wear contact lenses.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Keep upright, locked up and out of reach of children. Keep away from heat, sparks and open

flame. Store in tightly closed original container in a dry, cool and well-ventilated place.

Storage class Unspecified storage.

7.3 Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Usage description

Use only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 Hrs)		STEL (15mins)		Notes
ethanol	OEL			1000 ppm		
ethanol	WEL	1000 ppm	1920 mg/m ³			

Ingredient comments

WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits. OEL - Occulational Exposure Limit - Ireland, Occupational Exposure Limits 2016.

8.2 Exposure Controls

Protective equipment



Provide adequate ventilation, including appropriate local extraction, to ensure that the **Engineering measures** defined occupational exposure limit is not exceeded.

Respiratory equipment Use respiratory protection as specified by an industrial hygienist or other qualified

professional if concentrations exceed the limits listed in Section 8. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as CEN

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use respiratory protective components with combined A/P filter(s) for organic vapours/particulates. (EN 141). Consult

manufacturer for specific advice.

Hand protection Where hand contact with the product may occur use gloves approved to relevant standards

> (e.g. Europe: EN374.) EU Directive 89/686/EEC. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration

specific to the workplace. Gloves must be inspected prior to use.

Suggested material: Butyl-rubber. Nitrile. Consult manufacturer for specific advice. Use proper glove removal technique (without touching glove's outer surface) to avoid skin

contact with this product.

Eye protection Wear safety goggles/face shield to prevent any possibility of eye contact. Use equipment for

eye protection tested and approved under appropriate government standards such as EN

166(EU).

Other protection Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist. The selected

clothing must satisfy the European norm standard EN 943.

Hygiene measures DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated.

Promptly remove any clothing that becomes contaminated.

Process conditions Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Liquid. Colour Green.

Odour No information available.

Odour threshold - lower No information available.

Odour threshold - upper No information available.

7.00 pH-Value, Conc. Solution

pH-Value, Diluted solution No information available.

No information available. Melting point

Initial boiling point and boiling

range

No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability state No information available. Flammability limit - lower(%) No information available.

Flammability limit - upper(%) No information available.

Vapour pressure No information available.

Vapour density (air=1) No information available.

Relative density 0.998 +/- 0.002.

Bulk density No information available.

Solubility Soluble in water.

Decomposition temperature No information available.

Partition coefficient; n-

Octanol/Water

No information available.

Auto ignition temperature (°C) No information available.

Viscosity No information available.

Explosive properties Not classified as explosive.

Oxidising properties No information available.

9.2 Other information

Molecular weight No information available.

Volatile organic compound No information available.

Other information None noted.

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity Reaction with strong acids, strong alkalis and oxidising materials.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactions For information on hazardous reaction see section 10.1.

Hazardous polymerisationWill not polymerise.Polymerisation descriptionNot applicable.

10.4 Conditions to Avoid

Conditions to avoid Avoid storing in large quantities or for long periods of time. Heat, sparks, open flames,

temperature extremes and direct sunlight.

10.5 Incompatible materials

Materials to avoid Do not mix with other chemicals unless listed on directions. Avoid strong oxidising agents,

bases, strong acids.

10.6 Hazardous decomposition products

Hazardous decomposition products During fire, toxic gases (CO, CO2) are formed.

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicological information No toxicological information for the overall finished product.

Acute toxicity (Oral LD50) No information available.
Acute toxicity (Dermal LD50) No information available.
Acute toxicity (Inhalation LD50) No information available.

Serious eye damage/irritation None to slight.

Skin corrosion/irritationNo information available.

Respiratory sensitisationNo information available.Skin sensitisationNo information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Specific target organ toxicity - Single exposure:

STOT - Single exposure No information available.

Specific target organ toxicity - Repeated exposure:

STOT - Repeated exposure No information available.

Inhalation Inhalation of mist and vapour may produce respiratory tract irritation.

Ingestion Exposure to liquid product may cause irritation to mouth, throat and esophagus.

Skin contact can produce mild skin irritation

Eye contact May cause eye irritation.

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Routes of entryNo information available. **Target organs**No target organs specified.

Aspiration hazards: No information available. Reproductive toxicity: No information available.

Name	LD50 oral	LD50 dermal	LD50 inhalation
Benzyl-C12-14-alkyldimethylammonium chlorides	379.50mg/kg Rat	3412.00mg/kg Rabbit	
PINE OIL 85%	3200.00mg/kg Rat		
Alcohols, C12-15, ethoxylated	>5000.00mg/kg Rat		

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - FishNo information available.Acute toxicity - Aquatic invertebratesNo information available.Acute toxicity - Aquatic plantsNo information available.Acute toxicity - MicroorganismsNo information available.Chronic toxicity - FishNo information available.Chronic toxicity - AquaticNo information available.

inverteb rates

Chronic toxicity - Aquatic plants Chronic toxicity - MicroorganismsNo information available.

EcotoxicityThe product contains a substance which is harmful to aquatic life with long lasting effects.

Eco toxilogical information No ecological toxicity available on the overall finished product.

12.2 Persistence and degradability

Degradability The degradability of the product has not been stated.

Biological oxygen demandChemical oxygen demand
No information available.
No information available.

12.3 Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation. No information available.

Bioacculmation factor Partition coefficient; n-

No information available.

Octanol/Water

12.4 Mobility in soil

Mobility Soluble in water.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Other adverse effects

Other adverse effects

None known.

Name		invertebrates)	Acute toxicity (Aquatic plants)
Benzyl-C12-14-alkyldimethylammonium chlorides	LC50 0.52mg/l Freshwater Fish	EC50 0.02mg/l Daphnia magna	
	LC50 96 Hours >2.00ppm Brachydanio rerio (Zebra Fish)		

Section 13: Disposal considerations

Waste management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

13.1 Waste treatment methods

Disposal methods Dispose of waste and residues in accordance with local authority requirements. For waste

disposal, use a licensed industrial waste disposal agent.

Section 14: Transport information

14.1 UN number

UN no. (ADR)
UN no. (IMDG)
Not applicable.
UN no. (IATA)
Not applicable.

14.2 UN proper shipping name

ADR proper shipping nameNot applicable.IMDG proper shipping nameNot applicable.IATA proper shipping nameNot applicable.

14.3 Transport hazard class(es)

ADR class Not applicable.
IMDG class Not applicable.
IATA class Not applicable.

Transport labels

14.4 Packing group

ADR/RID/ADN packing group

IMDG packing group

IATA packing group

Not applicable.

Not applicable.

Not applicable.

14.5 Environmental hazards

ADR No IMDG No IATA No

14.6 Special precautions for user

EMS Not applicable.
Emergency action code Not applicable.
Hazard no. (ADR) Not applicable.
Tunnel restriction code Not applicable.

14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th

May 2010 amending regulation (EC) No 1907/2006.

Approved code of practice 2016 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of

the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).

Workplace Exposure Limits Guidance Note EH40/2005.

Chemical safety assessment No chemical safety assessment has been carried out.

Section 16: Other information

General information This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

Revision comments Revision dateThis is a first issue.
10 July 2017

Revision 1

Safety data sheet status Approved.

Hazard statements in full

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.