Product Floor Maintainer **Revision date** 02 February 2021 Revision 2



Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	Floor Maintainer
Product no.	FLRMAINT
Other means of identification	No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Uses advised against	

Cleaning agent. No uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Kitchenmaster NI Ltd 11 Comber Road Belfast BT8 8AN United Kingdom Tel: 028 90814777 sales@kitchenmaster-ni.com

Contact person

<u>1.4</u> Emergency telephone number

Emergency telephone Emergency Telephone Number: 028 9081 4777 08:30 - 17:00 Monday to Thursday 08:30 -16:30 Friday

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)	
Physical and chemical hazards	Not classified
Human health	Eye Irrit.2A - H319
Environment	Not classified

2.2 Label elements

Contains **Detergent labeling** Alcohols, C12-13, branched and linear, ethoxylated

Label in accordance with (EC) no. 1272/2008

<5% anionic surfactants



H319 Causes serious eye irritation.

Signal word

Hazard statements

Warning

Precautionary statements

Prevention P264 Wash exposed skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/eye protection/face protection. Response P337 + P313 If eye irritation persists: Get medical advice/attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

None known.

Section 3: Composition/information on ingredients

Ingestionartificial respiration. If breathing is difficult, give oxygen. Seek medical attentionIngestionIf this product is ingested, remove victim immediately from source of exposure thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get me attention. Never give anything by mouth to an unconscious person.Skin contactRemove victim immediately from source of exposure. Remove contaminated cl and jewelry and wash before reuse. Wash the skin immediately with water. Ob attention if irritation persists or if blistering occurs.Eye contactDo not rub eye. If this product contacts the eyes, gently flush eyes with water of fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove of if present and easy to do so. Avoid contaminating unaffected eye. Seek medical4.2 Most important symptoms and effects. both acute and delayedGeneral informationThe severity of the symptoms described will vary dependent on the concentrat length of exposure.InhalationInhalation of mist or vapor may cause respiratory tract irritation.IngestionIngestion may cause nausea and irritation and dry skin.Eye contactCauses serious eye irritation.InsestionCauses serious eye irritation.Indication of any immediate medical attention and special treatment neededNotes to the physicianTreat symptomatically.		
Name Product identifier (AS-No: 160901-19- EC-No: 931-954-4) Regulation (EC) No 1272/2003 Aucho Fox, C12-13, branched and linear, EC-No: 931-954-4) Acute Tox 4 - H302, Eye Dam. 1 - H318, Aquatic Chronic 3 - H4 Cute Tox 4 - H302, Eye Dam. 1 - H318, Aquatic Chronic 3 - H4 The full text for all hazard statements are displayed in section 16. Composition comments The data shown are in accordance with the latest EC Directives. Section 4: First aid measures		
Autohols, C12-13, branched and linear, CAS-No.: 160901-19-9 Acute Tox 4 - H302, Eye Dam. 1 - H318, Aquatic Chronic 3 - H4 The full text for all hazard statements are displayed in section 16. Composition comments The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Eection 4: First aid measures Eection 4: First aid measures General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case symptoms persist, always call a doctor. Seek medical attention for all burns and regardless how minor they may seem. First aid personnel must be aware of ow rescue. Inhalation Remove person to fresh air and keep confortable for breathing. If not breathin artificial respiration. If breathing by mouth to an uncoascious person. Skin contact Remove victim immediately from source of exposure thoroughly. Do not induce vomiting. Provide fresh air, warsh and rest. Get mattention. Never give anything by mouth to an uncoascious person. Skin contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water 0 the first of 10 breathing the upper and lower eyelids occasionally. Remove if present and easy to do so. Avoid contaminating unaffected eye. Seek medical attention. Ingestion Acute and telegotion The severity of the symptoms described will vary dependent on the concentrat length of exposure. Inhalation Inhalation Inserverity of the symptoms described will vary dependent on the concentrat length of exposure. Prolonged contact may cause reapes, irritation. Ingestion		
Alcohols, C12-13, branched and linear, CAS-No.: 160901-19-9 Acute Tox 4 - H302, Eye Dam. 1 - H318, Aquatic Chronic 3 - H4 The full text for all hazard statements are displayed in section 16. Composition comments The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Ect No: 931-954.4 The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Ect No: 931-954.4 The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Ect No: 931-954.4 The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Ect No: 931-954.4 The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Ect No: 931-954.4 The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Ect No: 931-954.4 The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Ect No: 931-954.4 The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Provide general first aid, rest, warmth and fresh air. As a general rule, in case symptoms persist, always call a doctor. Seek medical attention for all burns and regardless how minor they may seem. First aid personnel must be aware of ow rescue. Inhalation Remove person to fresh air and keep comfor	0/	
ethosylated [EC No: 931-954-4] Patte 10x 4 - H302, Eye Dam, 1 - H318, Aquate Chronic 3 - H4 The full text for all hazard statements are displayed in section 16. Composition comments The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Section of first aid measures Section of first aid measures General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case symptoms persist, always call a doctor. Seek medical attention for all burns and regardless how minor they may seem. First aid personnel must be aware of ow rescue. Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathing artificial respiration. If breathing is difficult, give oxygen. Seek medical attention for all burns and regardless how minor they may seem. First aid personnel must be aware of ow rescue. Skin contact Remove victim immediately from source of exposure thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get ma attention. Never give anything by mouth to an unconscious person. Skin contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water. Ob attention if irritation persists or if bistering occurs. Eye contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water. Of fifteen (15) minutes, lifting the upper and lower cyclids occasionally. Remove end fifteen (15) minutes, lifting the upper and lower distonally. Remove end fifteen (15) minutes, lifting the eyes, gently tract irritation. L2 Most importan	%	
Composition comments The data shown are in accordance with the latest EC Directives. Section 4: First aid measures Exection 4: First aid measures 5.1 Description of first aid measures Symptoms persist, always call a doctor. Seek medical attention for all burns and regardless how minor they may seem. First aid personnel must be aware of ow nescue. Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathin artificial respiration. If breathing is difficult, give oxygen. Seek medical attention throughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get m attention. Never give anything by mouth to an unconscious person. Skin contact Remove victim immediately from source of exposure. Remove contaminated cl and jewelry and wash before reuse. Wash the skin immediately with water. Ob attention if irritation persists or if bilstering occurs. Eye contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water or different (15) minutes, lifting the upper and lower eyelids occasionally. Remove if present and easy to do so. Avoid contaminating unaffected eye. Seek medical tention for exposure. Atom important symptoms and effects. both acute and delayed Malation Indeation may cause respiratory tract irritation. Bigestion may cause respiratory tract irritation and dry skin. Eye contact Ingestion may cause and irritation to the mouth, throat and digestive s Skin contact. Eye contact Ingestion may cause ansees and irritation to the mouth, throat and digestive s Skin contact. <tr< td=""><td>.2 1-5%</td></tr<>	.2 1-5%	
Section 4: First aid measures 41 Description of first aid measures General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case symptoms persist, always call a doctor. Seek medical attention for all burns and regardless how minor they may seem. First aid personnel must be aware of ow rescue. Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathin artificial respiration. If breathing is difficult, give oxygen. Seek medical attention for all burns our escue. Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathin artificial respiration. To breathing is difficult, give oxygen. Seek medical attention and tentito. Never give anything by mouth to an unconscious person. Skin contact Remove victim immediately from source of exposure. Remove contaminated cl and jewelry and wash before reuse. Wash the skin immediately with water. Ob attention if irritation persists or if blistering occurs. Eye contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water of fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove if present and easy to do so. Avoid contaminating unaffected eye. Seek medical tends of exposure. Langestion The severity of the symptoms described will vary dependent on the concentrat length of exposure. Langestion Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion Inhalation of anist or vapor may cause respiratory tract irritation. Ingestion		
L1 Description of first aid measures General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case symptoms persist, always call a doctor. Seek medical attention for all burns and regardless how minor they may seem. First aid personnel must be aware of ow rescue. Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathin artificial respiration. If breathing is difficult, give oxygen. Seek medical attention for cuptly. Do not induce vomiting. Provide fresh air, warmth and rest. Get me attention. Never give anything by mouth to an unconscious person. Skin contact Remove victim immediately from source of exposure of and jewelry and wash before reuse. Wash the skin immediately with water. Ob attention firitation persists or if bilstering occurs. Eye contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water of fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove if present and easy to do so. Avoid contaminating unaffected eye. Seek medical length of exposure. L2 Most important symptoms and effects. both acute and delayed General information The severity of the symptoms described will vary dependent on the concentrat length of exposure. Inhalation Ingestion may cause respiratory tract irritation. Ingestion Ingestion may cause respiratory tract irritation. Eye contact Prolonged contact may cause respiratory tract irritation. Eye contact Causes serious eye irritation.	The data shown are in accordance with the latest EC Directives.	
General information Provide general first aid, rest, warmth and fresh air. As a general rule, in case symptoms persist, always call a doctor. Seek medical attention for all burns and regardless how minor they may seem. First aid personnel must be aware of ow rescue. Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathin artificial respiration. If breathing is difficult, give oxygen. Seek medical attentiot fingestion Infusion Remove person to fresh air and keep comfortable for breathing. If not breathin artificial respiration. If breathing is difficult, give oxygen. Seek medical attentiot in for oughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get m attention. Never give anything by mouth to an unconscious person. Skin contact Remove victim immediately from source of exposure. Remove contaminated cl and jewelry and wash before reuse. Wash the skin immediately with water. Ob attention if irritation persists or if blistering occurs. Eye contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water of fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove if present and easy to do so. Avoid contaminating unaffected eye. Seek medical length of exposure. Inhalation Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion Ingestion may cause reduces, irritation and dry skin. Eye contact Causes serious eye irritation. Causes serious eye irritation. Ingestion Ingestion may cause reduces, irritation and dry skin. Eye contact		
Symptoms persist, always call a doctor. Seek medical attention for all burns and regardless how minor they may seem. First aid personnel must be aware of ow rescue. Inhalation Remove person to fresh air and keep comfortable for breathing. If not breathing artificial respiration. If breathing is difficult, give oxygen. Seek medical attention in gestion Ingestion If this product is ingested, remove victim immediately from source of exposure thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get mattention. Never give anything by mouth to an unconscious person. Skin contact Remove victim immediately from source of exposure. Remove contaminated cl and jewelry and wash before reuse. Wash the skin immediately with water. Ob attention if irritation persists or if blistering occurs. Eye contact Do not rub eye. If this product contacts the eyes, gently flush eyes with water of fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove if present and easy to do so. Avoid contaminating unaffected eye. Seek medical 4:2 Most important symptoms and effects. both acute and delayed General information Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion and argue ause reause and irritation and dry skin. Eye contact Ingestion Ingestion may cause nause and irritation and dry skin. Eye contact A cost act explored Causes serious eye irritation. Ingestion Inhalation of mist or vapor may cause respiratory tract irritation. Eye contact Eye contact Causes ser		
artificial respiration. If breathing is difficult, give oxygen. Seek medical attentionIngestionIf this product is ingested, remove victim immediately from source of exposure thoroughly. Do not induce vomiting, Provide fresh air, warmth and rest. Get me attention. Never give anything by mouth to an unconscious person.Skin contactRemove victim immediately from source of exposure. Remove contaminated cl and jewelry and wash before reuse. Wash the skin immediately with water. Ob attention if irritation persists or if blistering occurs.Eye contactDo not rub eye. If this product contacts the eyes, gently flush eyes with water 1 fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove of if present and easy to do so. Avoid contaminating unaffected eye. Seek medical 4.2 Most important symptoms and effects. both acute and delayedGeneral informationThe severity of the symptoms described will vary dependent on the concentrat length of exposure.InhalationInhalation of mist or vapor may cause respiratory tract irritation.IngestionIngestion may cause nausea and irritation and dry skin.Eye contactCauses serious eye irritation.LingestionCauses serious eye irritation.LingestionTreat symptomatically.	ye injuries,	
Skin contactthoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get me attention. Never give anything by mouth to an unconscious person.Skin contactRemove victim immediately from source of exposure. Remove contaminated cl and jewelry and wash before reuse. Wash the skin immediately with water. Ob attention if irritation persists or if blistering occurs.Eye contactDo not rub eye. If this product contacts the eyes, gently flush eyes with water of fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove if present and easy to do so. Avoid contaminating unaffected eye. Seek medicalL2Most important symptoms and effects. both acute and delayedGeneral informationThe severity of the symptoms described will vary dependent on the concentrat length of exposure.InhalationInhalation of mist or vapor may cause respiratory tract irritation.IngestionIngestion may cause nausea and irritation to the mouth, throat and digestive s Prolonged contact may cause redness, irritation and dry skin.Eye contactCauses serious eye irritation.Hotes to the physicianTreat symptomatically.	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.	
Skin contactRemove victim immediately from source of exposure. Remove contaminated cl and jewelry and wash before reuse. Wash the skin immediately with water. Ob attention if irritation persists or if blistering occurs.Eye contactDo not rub eye. If this product contacts the eyes, gently flush eyes with water of fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove of if present and easy to do so. Avoid contaminating unaffected eye. Seek medicalEve contactDo not rub eye. If this product contacts the eyes, gently flush eyes with water of fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove of if present and easy to do so. Avoid contaminating unaffected eye. Seek medicalEve contactThe severity of the symptoms described will vary dependent on the concentrat length of exposure.InhalationInhalation of mist or vapor may cause respiratory tract irritation. Ingestion may cause nausea and irritation to the mouth, throat and digestive sp Prolonged contact may cause redness, irritation and dry skin. Causes serious eye irritation.Eye contactCauses serious eye irritation.Addication of any immediate medical attention and special treatment neededNotes to the physicianTreat symptomatically.		
fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove if present and easy to do so. Avoid contaminating unaffected eye. Seek medical 4.2 Most important symptoms and effects, both acute and delayed General information The severity of the symptoms described will vary dependent on the concentrat length of exposure. Inhalation Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion Ingestion may cause nausea and irritation to the mouth, throat and digestive special contact Eye contact Causes serious eye irritation. A.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.	-	
General information The severity of the symptoms described will vary dependent on the concentrat length of exposure. Inhalation Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion Ingestion may cause nausea and irritation to the mouth, throat and digestive system of the symptom cause redness, irritation and dry skin. Eye contact Prolonged contact may cause redness, irritation and dry skin. Causes serious eye irritation. Causes serious eye irritation. H.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.	Do not rub eye. If this product contacts the eyes, gently flush eyes with water for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if present and easy to do so. Avoid contaminating unaffected eye. Seek medical attention.	
InhalationInhalation of mist or vapor may cause respiratory tract irritation.IngestionIngestion may cause nausea and irritation to the mouth, throat and digestive sSkin contactProlonged contact may cause redness, irritation and dry skin.Eye contactCauses serious eye irritation.Indication of any immediate medical attention and special treatment neededNotes to the physicianTreat symptomatically.		
IngestionIngestion may cause nausea and irritation to the mouth, throat and digestive sSkin contactProlonged contact may cause redness, irritation and dry skin.Eye contactCauses serious eye irritation.A.3 Indication of any immediate medical attention and special treatment neededNotes to the physicianTreat symptomatically.	on and the	
Skin contact Prolonged contact may cause redness, irritation and dry skin. Eye contact Causes serious eye irritation. A.3 Indication of any immediate medical attention and special treatment needed Notes to the physician Treat symptomatically.		
Eye contact Causes serious eye irritation. A.3 Indication of any immediate medical attention and special treatment needed Notes to the physician Treat symptomatically.	stem.	
Notes to the physician Treat symptomatically.		
Section F Fine Geletine and comment		
Section 5: Firefighting measures 5.1 Extinguishing media		
Extinguishing media Use fire-extinguishing media appropriate for surrounding materials. Use water	spray,	
Unsuitable extinguishing mediaalcohol-resistant foam, dry chemical or carbon dioxide.High volume water jet.	alcohol-resistant foam, dry chemical or carbon dioxide.	

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Unusual fire & explosion hazards Specific hazards	During fire, gases hazardous to health may be formed. No unusual fire or explosion hazards noted. Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). In the event of damage to packaging, floors may become slippery, avoid falls.
5.3 Advice for firefighters	
Special fire fighting procedures	If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.
Protective equipment for firefighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. In case of inadequate ventilation, use respiratory protection. Do not touch or walk through spilled material. If necessary evacuate surrounding areas. Follow safe handling advice and personal protective equipment recommendations for normal use of product.
6.2 Environmental precautions	
Environmental precautions	Do not discharge onto the ground or into water courses.
6.3 Methods and material for containme	nt and cleaning up
Spill clean up methods	Stop leak if possible without risk. DO NOT touch spilled material! When dealing with a spillage, wear necessary protective equipment. Absorb spillage with non-combustible, inert absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.
6.4 Reference to other sections	
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.

Section 7: Handling and storage	
Section 7: nanuning and storage	

7.1 Precautions for safe handling

Handling	Read and follow manufacturer's recommendations. Use proper personal protection when
U U	handling (refer to Section 8). Do not handle broken packages without protective equipment.
	Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Do not
	eat, drink or smoke when using the product. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Storage class	Keep upright, locked up and out of reach of children. Keep the product in its original container. Store in cool dry areas away from direct sunlight or sources of ignition. Keep away from incompatible materials (see section 10). Corrosive storage.
7.3 Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	Use only according to directions. Replace and tighten cap after use.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Ingredient comments

Ireland, Occupational Exposure Limits 2020. Workplace Exposure Limits Guidance Note EH40/2005. No exposure limits noted for ingredient(s).

8.2 Exposure Controls

Engineering measuresProvide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.Respiratory equipmentIf ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/145/143/149. The specific respirator selected must be based on contamination levels found in the work place. Where risk assessment shows air-purifying respirators are appropriate a full face respirator conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls. Recommended: Respirator with combination filter for vapour/particulate (EN 141). Consult manufacturer for specific advice.Hand protectionWhere hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Suggested material: Butyl-rubber. Breakthrough time: >480 minutes. Minimum layer thickness: 0.33 mm. Consult manufacturer for advice. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.Eye protectionWear safety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).Other protectionWear appropriate clothing to prevent skin contact. The selected clothing must satisfy the European norm standard EN 943. Personal protective equipment for the body should be selected base	Protective equipment	
Respiratory equipmentIf ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/145/143/149. The specific respirator selected must be based on contamination levels found in the work place. Where risk assessment shows air-purifying respirators are appropriate a full face respirator conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls. Recommended: Respirator with combination filter for vapour/particulate (EN 141). Consult manufacturer for specific advice.Hand protectionWhere hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Suggested material: Butyl-rubber. Breakthrough time: >480 minutes. Minimum layer thickness: 0.33 mm. Consult manufacturer for advice. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.Eye protectionWear asfety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).Other protectionWear appropriate clothing to prevent skin contact. The selected clothing must satisfy the European norm standard EN 943. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product. Work clothing worn by personnel shall be laundered regulary. Af	Engineering measures	
Standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Suggested material: Butyl-rubber. Breakthrough time: >480 minutes. Minimum layer thickness: 0.33 mm. Consult manufacturer for advice. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.Eye protectionWear safety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).Other protectionWear appropriate clothing to prevent skin contact. The selected clothing must satisfy the European norm standard EN 943. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.Hygiene measuresObserve normal hygiene standards. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash hands after use.	Respiratory equipment	If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/145/143/149. The specific respirator selected must be based on contamination levels found in the work place. Where risk assessment shows air-purifying respirators are appropriate a full face respirator conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls. Recommended: Respirator with
for eye protection tested and approved under appropriate government standards such as EN 166(EU).Other protectionWear appropriate clothing to prevent skin contact. The selected clothing must satisfy the European norm standard EN 943. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.Hygiene measuresObserve normal hygiene standards. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash hands after use.	Hand protection	standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Suggested material: Butyl-rubber. Breakthrough time: >480 minutes. Minimum layer thickness: 0.33 mm. Consult manufacturer for advice. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and
European norm standard EN 943. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.Hygiene measuresObserve normal hygiene standards. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash hands after use.	Eye protection	for eye protection tested and approved under appropriate government standards such as EN
using do not eat, drink or smoke. Wash hands after use.	Other protection	Wear appropriate clothing to prevent skin contact. The selected clothing must satisfy the European norm standard EN 943. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been
Process conditions Ensure that eye flushing systems and safety showers are located close by in the work place.	Hygiene measures	
	Process conditions	Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour	Liquid. Bright Pink. Characteristic.
Odour threshold - lower	No information available as testing has not been completed.
Odour threshold - upper	No information available as testing has not been completed.
pH-Value, Conc. Solution	6 - 8
pH-Value, Diluted solution	Not applicable as the product is a concentrated solution.
Melting point	No information available as testing has not been completed.
Initial boiling point and boiling range	No information available as testing has not been completed.

	Flash point	Non-Flammable	
	Evaporation rate	No information available as testing has not been completed.	
	Flammability state	Does not apply, product is not flammable.	
	Flammability limit - lower(%)	Does not apply, product is not flammable.	
Flammability limit - upper(%)Does not apply, product is not flammable.Vapour pressureNo information available as testing has not been completed.Vapour density (air=1)No information available as testing has not been completed.Relative density0.99 - 1.01 kg/l (at 20°C)Bulk densityDoes not apply as the product is a liquid.SolubilitySoluble in water.Decomposition temperatureNo information available as testing has not been completed.Partition coefficient; n- Octanol/WaterDoes not apply, the product is a mixture.Auto ignition temperature (°C)No information available as testing has not been completed.		Does not apply, product is not flammable.	
		No information available as testing has not been completed.	
		No information available as testing has not been completed.	
		0.99 - 1.01 kg/l (at 20°C)	
		Does not apply as the product is a liquid.	
		Soluble in water.	
		No information available as testing has not been completed.	
		Does not apply, the product is a mixture.	
		No information available as testing has not been completed.	
	Viscosity	No information available as testing has not been completed.	
	Explosive properties	Not classified as explosive.	
	Oxidising properties	The product does not meet the criteria to be classified as oxidising.	
9.2 Other information			
	Molecular weight	Not applicable as the product is a mixture.	
Volatile organic compoundNo information available as testing hasOther informationNone noted.		No information available as testing has not been completed.	
		None noted.	

Section 10: Stability and reactivity			
10.1 Reactivity			
Reactivity	Reaction with: Strong oxidising agents. Acids.		
10.2 Chemical stability			
Stability	Stable under normal temperature conditions and recommended use.		
10.3 Possibility of hazardous reactions			
Hazardous reactions	For information on hazardous reaction see section 10.1.		
Hazardous polymerisation Polymerisation description	Will not polymerise. Not applicable.		
10.4 Conditions to Avoid			
Conditions to avoid	Heat, sparks, open flames, temperature extremes and direct sunlight.		
10.5 Incompatible materials			
Materials to avoid	Keep away from acids and oxidants. Do not mix with other chemicals unless listed on directions.		

10.6 Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Section 11: Toxicological information

11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008

Toxicological information	No toxicological information for the overall finished product.	
Acute toxicity (Oral LD50) Acute toxicity (Dermal LD50) Acute toxicity (Inhalation LD50)	No information available as testing has not been completed. No information available as testing has not been completed. No information available as testing has not been completed.	
Serious eye damage/irritation	No information available.	
Skin corrosion/irritation	The product is not classified as a skin corrosion/irritation hazard.	
Respiratory sensitisation Skin sensitisation	The product is not classified as a respiratory hazard. The product is not classified as a skin sensitisation hazard.	
Germ cell mutagenicity	The product is not classified as a mutagen.	
Carcinogenicity	The product is not classified as a carcinogen hazard.	
Specific target organ toxicity - Single exposure:		
	•	
STOT - Single exposure	The product is not classified as a single exposure specific target organ toxin.	
	The product is not classified as a single exposure specific target organ toxin.	
STOT - Single exposure Specific target organ toxicity - Repe	The product is not classified as a single exposure specific target organ toxin. ated exposure:	
STOT - Single exposure Specific target organ toxicity - Repe STOT - Repeated exposure	The product is not classified as a single exposure specific target organ toxin. ated exposure: The product is not classified as a repeat exposure specific target organ toxin.	
STOT - Single exposure Specific target organ toxicity - Repe STOT - Repeated exposure Inhalation Ingestion Skin contact	The product is not classified as a single exposure specific target organ toxin. ated exposure: The product is not classified as a repeat exposure specific target organ toxin. Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion may cause nausea and irritation to the mouth, throat and digestive system. Prolonged contact may cause redness, irritation and dry skin.	
STOT - Single exposure Specific target organ toxicity - Repe STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact	The product is not classified as a single exposure specific target organ toxin. ated exposure: The product is not classified as a repeat exposure specific target organ toxin. Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion may cause nausea and irritation to the mouth, throat and digestive system. Prolonged contact may cause redness, irritation and dry skin. Causes serious eye irritation.	
STOT - Single exposure Specific target organ toxicity - Repe STOT - Repeated exposure Inhalation Ingestion Skin contact	The product is not classified as a single exposure specific target organ toxin. ated exposure: The product is not classified as a repeat exposure specific target organ toxin. Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion may cause nausea and irritation to the mouth, throat and digestive system. Prolonged contact may cause redness, irritation and dry skin.	
STOT - Single exposure Specific target organ toxicity - Repe STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact	The product is not classified as a single exposure specific target organ toxin. ated exposure: The product is not classified as a repeat exposure specific target organ toxin. Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion may cause nausea and irritation to the mouth, throat and digestive system. Prolonged contact may cause redness, irritation and dry skin. Causes serious eye irritation. When handling waste, consideration should be made to the safety precautions applying to	
STOT - Single exposure Specific target organ toxicity - Repe STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact Waste management	The product is not classified as a single exposure specific target organ toxin. Fated exposure: The product is not classified as a repeat exposure specific target organ toxin. Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion may cause nausea and irritation to the mouth, throat and digestive system. Prolonged contact may cause redness, irritation and dry skin. Causes serious eye irritation. When handling waste, consideration should be made to the safety precautions applying to handling of the product.	
STOT - Single exposure Specific target organ toxicity - Repe STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact Waste management Routes of entry	The product is not classified as a single exposure specific target organ toxin. Ated exposure: The product is not classified as a repeat exposure specific target organ toxin. Inhalation of mist or vapor may cause respiratory tract irritation. Ingestion may cause nausea and irritation to the mouth, throat and digestive system. Prolonged contact may cause redness, irritation and dry skin. Causes serious eye irritation. When handling waste, consideration should be made to the safety precautions applying to handling of the product. Eyes, skin, ingestion or inhalation.	

Name	LD50 oral	LD50 dermal	LD50 inhalation
Alcohols, C12-13, branched and linear, ethoxylated	>300.00mg/kg Rat	>2000.00mg/kg Rabbit	

11.2 Information on other hazards

Information on other hazards

None known.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish	No information available as testing has not been completed.
Acute toxicity - Aquatic invertebrates	No information available as testing has not been completed.
Acute toxicity - Aquatic plants	No information available as testing has not been completed.
Acute toxicity - Microorganisms	No information available as testing has not been completed.
Chronic toxicity - Fish	No information available as testing has not been completed.
Chronic toxicity - Aquatic	No information available as testing has not been completed.
invertebrates	
Chronic toxicity - Aquatic plants	No information available as testing has not been completed.
Chronic toxicity - Microorganisms	No information available as testing has not been completed.
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude
	the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Eco toxilogical information	No ecological toxicity available on the overall finished product.

12.2 Persistence and degradability Degradability The degradability of the product has not been stated. **Biological oxygen demand** No information available as testing has not been completed. Chemical oxygen demand No information available as testing has not been completed. **12.3 Bioaccumulative potential Bioaccumulative potential** No data available on bioaccumulation. **Bioaccumulation factor** No information available as testing has not been completed. Partition coefficient; n-Does not apply, the product is a mixture. Octanol/Water 12.4 Mobility in soil Mobility Soluble in water. 12.5 Results of PBT and vPvB assessment Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties The product does not contain any substances with endocrine disrupting properties at a concentration above or equal to 0.1%.

12.7 Other adverse effects

Other adverse effects

No information available.

Name	Acute toxicity (Fish)	Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
Alcohols, C12-13, branched and linear, ethoxylated		EC50 48 Hours 1.00mg/l Daphnia magna	

Section 13: Disposal considerations				
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.			
13.1 Waste treatment methods				
Disposal methods	Dispose of waste and residues in accordance with local authority requirements.			
Section 14: Transport information				
14.1 UN number or ID number				
UN no. (ADR)	Not applicable.			
UN no. (IMDG)	Not applicable.			
UN no. (IATA)	Not applicable.			
14.2 UN proper shipping name				
ADR proper shipping name	Not applicable.			
IMDG proper shipping name	Not applicable.			
IATA proper shipping name	Not applicable.			
14.3 Transport hazard class(es)				
ADR class	Not applicable.			
IMDG class	Not applicable.			
IATA class	Not applicable.			
Transport labels	Not applicable			

14.4 Packing group

ADR/RID/ADN packing group IMDG packing group IATA packing group	Not applicable. Not applicable. Not applicable.			
14.5 Environmental hazards				
ADR	No			
IMDG	No			
ΙΑΤΑ	No			
14.6 Special precautions for user				
EMS	Not applicable.			
Emergency action code	Not applicable.			
Hazard no. (ADR)	Not applicable.			
Tunnel restriction code	Not applicable.			

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).	
Approved code of practice	Workplace Exposure Limits Guidance Note EH40/2005.	
	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)	
<u>15.2 Chemical safety assessment</u>		
Chemical safety assessment	No chemical safety assessment has been carried out.	
Section 16: Other information		
General information Revision comments	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010. This is a second issue. [2]Information updated. [4]Information updated. [5]Information updated. [7]Information updated. [8]Information updated. [9]Information updated. [10]Information updated. [11]Information updated. [12]Information updated. [15]Information updated.	
Revision date	02 February 2021	
Revision	2	
Safety data sheet status	Approved.	
Hazard statements in full		
H302	Harmful if swallowed.	
H318	Causes serious eye damage.	
H412	Harmful to aquatic life with long lasting effects.	
H315	Causes skin irritation.	
H411	Toxic to aquatic life with long lasting effects.	
	Toxic to aquatic file with folg fasting effects.	
H319	Causes serious eye irritation.	
H319 H272		
	Causes serious eye irritation.	

May cause an allergic skin reaction.

H226 Flammable liquid and vapour. H400 Very toxic to aquatic life.

H410	Very toxic to aquatic life with long lasting effects.
H361	Suspected of damaging fertility or the unborn child .
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer .

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.