Product Toilet Maintainer

Revision date 17 November 2020

Revision 3



# Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name Toilet Maintainer
Product no. TCDMAINT

**Other means of identification** No information available.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning agent.

Product is for professional use only.

**Uses advised against** Any other purpose.

## 1.3 Details of the supplier of the safety data sheet

**Supplier** Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN United Kingdom Tel: 028 90814777

Contact person sales@kitchenmaster-ni.com

1.4 Emergency telephone number

**Emergency telephone** Emergency Telephone Number: 028 9081 4777 08:30 – 17:00 Monday to Thursday 08:30 –

16:30 Friday

## **Section 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Not classified Human health Not classified Environment Not classified

## 2.2 Label elements

**Contains** Not applicable

**Detergent labeling** <5% anionic surfactants

Label in accordance with (EC) no.

1272/2008

No pictogram required

Signal word No Signal Word

**Hazard statements** No hazard statements required

**Precautionary statements** No precautionary statements required

# 2.3 Other hazards

None known.

## Section 3: Composition/identification of ingredients

## 3.1 Substance

Not applicable.

### 3.2 Mixtures

| Name                                   | Product identifier  | Regulation (EC) No 1272/2008                                     | %     |
|--|---|--|-------|
| ethoxylated < 2.5 EO, sulfates, sodium | CAS-No.: 68891-38-3<br>EC No.: 500-234-8<br>REACH Reg No.:<br>01-2119488639-16-XXXX | Skin Irrit.2 - H315, Eye Dam. 1 - H318, Aquatic Chronic 3 - H412 | 1-5%  |
|  | CAS-No.: 5392-40-5<br>EC No.: 226-394-6<br>REACH Reg No.:<br>01-2119462829-23-XXXX  | Skin Irrit.2 - H315, Eye Irrit.2A - H319, Skin. Sens 1 B- H317   | <0.1% |
| propan-2-ol                            | CAS-No.: 67-63-0<br>EC No.: 200-661-7   | Flam. Liq 2- H225, Eye Irrit.2A - H319, STOT SE 3 - H336         | <0.1% |
| diethyl phthalate                      | CAS-No.: 84-66-2<br>EC No.: 201-550-6   |  | <0.1% |

The full text for all hazard statements are displayed in section 16.

**Composition comments** The data shown are in accordance with the latest EC Directives.

## Section 4: First aid measures

Eye contact

#### 4.1 Description of first aid measures

**General information** Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if

symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during

rescue.

**Inhalation** Move the exposed person to fresh air at once. Get medical attention if any discomfort

 $continues. \ If \ breathing \ is \ difficult, \ provide \ oxygen. \ If \ not \ breathing, give \ artificial \ respiration$ 

and get medical attention.

**Ingestion** Do not induce vomiting. Thoroughly rinse the mouth with water. If vomiting occurs, keep

head low so that stomach content doesn't enter the lungs. Get medical attention if discomfort

occurs. Never give anything by mouth to an unconscious person. \\

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

the skin immediately with water. Get medical attention if irritation develops or persists.

Avoid contaminating unaffected eye. Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Remove contact lenses if present

and easy to do so. Get prompt medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** No specific symptoms noted.

**Ingestion** Prolonged exposure to product may cause irritation to lining of the mouth.

**Skin contact** Prolonged or repeated contact may be irritating to the skin.

**Eye contact** May cause temporary eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician Treat symptomatically.

## Section 5: Fire-fighting measures

### 5.1 Extinguishing media

**Extinguishing media** Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media High volume water jet.

### 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products** Unusual fire & explosion hazards

Specific hazards

When heated, vapours/gases hazardous to health may be formed.

No unusual fire or explosion hazards noted. No specific hazards are identified for the product.

#### 5.3 Advice for firefighters

Special fire fighting procedures Ventilate closed spaces before entering them. If possible, fight fire from protected position.

Keep up-wind to avoid fumes. Water spray should be used to cool containers.

Protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for firefighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### Section 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation For non-emergency personnel

> of vapours and contact with skin and eyes. Eliminate all sources of ignition. Provide adequate ventilation. In case of inadequate ventilation, use respiratory protection. Do not touch or

walk through spilled material. Wash hands after use. For emergency responders

Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

#### **6.2** Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Discharge into the environment must be

avoided.

### 6.3 Methods and material for containment and cleaning up

Spill clean up methods Stop leak if possible without risk. Absorb spillage with non-combustible, absorbent material -

sand. In case of a large scale of spill, dyke area with sand to stop the spill spreading. Flush with plenty of water to clean spillage area. Floors may become slippery, avoid falls. Place

waste material into suitable labelled sealed containers for disposal.

### 6.4 Reference to other sections

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

## Section 7: Handling and storage

### 7.1 Precautions for safe handling

Handling Use proper personal protection when handling (refer to Section 8). Avoid spilling, skin and

eye contact. Avoid inhalation of vapours. Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Do not mix with other chemicals. When using,

do not eat, drink or smoke. Wash thoroughly after handling.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Keep upright, locked up and out of reach of children. Keep away from heat, sparks and open

flame. Store in tightly closed original container in a dry, cool and well-ventilated place.

Unspecified storage. Storage class

# 7.3 Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Usage description Use only according to directions. Replace and tighten cap after use.

## Section 8: Exposure controls/Personal protection

#### 8.1 Control parameters

| Component         | STD | TWA (       | 8 Hrs)                | STEL (1 | 15mins)                | Notes |
|-------------------|-----|-------------|-----------------------|---------|------------------------|-------|
| citral            | OEL | 5 (IFV) ppm |                       |         |                        |       |
| propan-2-ol       | OEL | 200 ppm     |                       | 400 ppm |                        | Sk    |
| propan-2-ol       | WEL | 400 ppm     | 999 mg/m <sup>3</sup> | 500 ppm | 1250 mg/m <sup>3</sup> |       |
| diethyl phthalate | WEL |             | 5 mg/m <sup>3</sup>   |         | 10 mg/m <sup>3</sup>   |       |

**Ingredient comments** 

Ireland, Occupational Exposure Limits 2020.

WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits.

## **8.2 Exposure Controls**

Protective equipment



**Engineering measures** 

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

**Hand protection** 

Eve protection

Other protection

Not normally required when used at normal temperatures. Use respiratory protection as specified by an industrial hygienist or other qualified professional if concentrations exceed the limits listed in Section 8. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator and suitable respirator cartridges (Type: ABEK. EN 14387) as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as CEN (EU). Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Where hand contact with the product may occur use gloves approved to relevant standards

(e.g. Europe: EN374.) EU Directive 89/686/EEC. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Gloves must be inspected prior to use.

Suggested material: Nitrile rubber. Minimum layer thickness: 0.4mm. Breakthrough time: >480 minutes. Consult manufacturer for specific advice. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Wear safety goggles/face shield to prevent any possibility of eye contact. Use equipment for

eye protection tested and approved under appropriate government standards such as EN

166(EU).

Protective clothing not required for normal use of the product. Select appropriate protective clothing based on chemical resistance data and an assessment of local exposure potential. Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist. The selected clothing must satisfy the European norm standard EN 943.

**Hygiene measures** DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated.

Promptly remove any clothing that becomes contaminated.

**Process conditions** Ensure that eye flushing systems and safety showers are located close by in the work place.

## Section 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

AppearanceClear liquid.ColourBlue/TurquoiseOdourCharacteristic.

**Odour threshold - lower** No information available as testing has not been completed.

**Odour threshold - upper**No information available as testing has not been completed.

pH-Value, Conc. Solution 7 - 9

**pH-Value, Diluted solution** Not applicable as the product is a concentrated solution.

Melting point No information available as testing has not been completed.

Initial boiling point and boiling

range

No information available as testing has not been completed.

Flash point Non-Flammable

**Evaporation rate** No information available as testing has not been completed.

**Flammability state** Not applicable as the product is Non-Flammable.

**Flammability limit - lower(%)** Not applicable as the product is Non-Flammable.

**Flammability limit - upper(%)** Not applicable as the product is Non-Flammable.

Vapour pressure No information available as testing has not been completed.

Vapour density (air=1) No information available as testing has not been completed.

**Relative density**  $1.00 - 1.01 \text{ kg/l (at } 20^{\circ}\text{C)}$ 

**Bulk density** Not applicable as the product is a liquid.

**Solubility** Soluble in water.

**Decomposition temperature** No information available as testing has not been completed.

Partition coefficient; n-

Octanol/Water

No information available as testing has not been completed.

**Auto ignition temperature (°C)** Not applicable as the product is Non-Flammable.

Viscosity No information available as testing has not been completed.

**Explosive properties** Not classified as explosive.

Oxidising properties The product does not meet the criteria to be classified as oxidising.

9.2 Other information

**Molecular weight** Not applicable as the product is a mixture.

Volatile organic compound No information available as testing has not been completed.

Other information None noted.

# Section 10: Stability and reactivity

# 10.1 Reactivity

**Reactivity** Reactions may occur with strong oxidising agents.

# 10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use.

## 10.3 Possibility of hazardous reactions

**Hazardous reactions** For information on hazardous reaction see section 10.1.

**Hazardous polymerisation** Not relevant.

**Polymerisation description** No information available.

## 10.4 Conditions to Avoid

Conditions to avoid Heat, sparks, open flames, temperature extremes and direct sunlight.

## 10.5 Incompatible materials

Materials to avoid

Avoid contact with oxidising agents, strong alkalis, and strong acids.

### 10.6 Hazardous decomposition products

**Hazardous decomposition products** If heated, harmful vapours may be formed.

### **Section 11: Toxicological information**

### 11.1 Information on toxicological effects

Toxicological information No toxicological information for the overall finished product.

Acute toxicity (Oral LD50) No information available as testing has not been completed. Acute toxicity (Dermal LD50) No information available as testing has not been completed. Acute toxicity (Inhalation LD50) No information available as testing has not been completed.

Serious eye damage/irritation None to slight.

Skin corrosion/irritation The product is not classified as a skin corrosion/irritation hazard.

Respiratory sensitisation The product is not classified as a respiratory hazard. Skin sensitisation The product is not classified as a skin sensitisation hazard.

Germ cell mutagenicity The product is not classified as a mutagen.

Carcinogenicity The product is not classified as a carcinogen hazard.

Specific target organ toxicity - Single exposure:

STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.

Specific target organ toxicity - Repeated exposure:

STOT - Repeated exposure The product is not classified as a repeat exposure specific target organ toxin.

Inhalation No specific symptoms noted.

Ingestion Prolonged exposure to product may cause irritation to lining of the mouth.

Skin contact Prolonged or repeated contact may be irritating to the skin.

Eye contact May cause temporary eye irritation.

When handling waste, consideration should be made to the safety precautions applying to Waste management

handling of the product.

Routes of entry Eyes, skin, ingestion or inhalation.

Blood. Eyes. Liver. Respiratory system. Skin. Kidneys. Digestive system. **Target organs** 

Aspiration hazards: The product is not classified as an aspiration hazard. Reproductive toxicity: The product is not classified as a reproductive hazard.

| Name  | LD50 oral         | LD50 dermal          | LD50 inhalation |
|---|-------------------|----------------------|-----------------|
| propan-2-ol   | 5840.00mg/kg Rat  | 13900.00mg/kg Rabbit |                 |
| Alcohols, C12-14(even numbered), ethoxylated $<$ 2.5 EO, sulfates, sodium salts | >5000.00mg/kg Rat | >5000.00mg/kg Rat    |                 |

## **Section 12: Ecological information**

## 12.1 Toxicity

Acute toxicity - Fish No information available as testing has not been completed. Acute toxicity - Aquatic invertebrates No information available as testing has not been completed. **Acute toxicity - Aquatic plants** No information available as testing has not been completed. **Acute toxicity - Microorganisms** No information available as testing has not been completed. **Chronic toxicity - Fish** No information available as testing has not been completed. **Chronic toxicity - Aquatic** No information available as testing has not been completed.

invertebrates

Chronic toxicity - Aquatic plants No information available as testing has not been completed. **Chronic toxicity - Microorganisms** No information available as testing has not been completed.

The product is not classified as environmentally hazardous. However, this does not exclude **Ecotoxicity** 

the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

**Eco toxilogical information** Not classified a

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.

## 12.2 Persistence and degradability

**Degradability** The degradability of the product has not been stated.

**Biological oxygen demand**No information available as testing has not been completed. **Chemical oxygen demand**No information available as testing has not been completed.

### 12.3 Bioaccumulative potential

 $\label{eq:bioaccumulative potential} \textbf{No data available on bioaccumulation}.$ 

**Bioaccumulation factor**No information available as testing has not been completed. **Partition coefficient; n-**No information available as testing has not been completed.

Octanol/Water

### 12.4 Mobility in soil

**Mobility** Soluble in water.

## 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

# 12.6 Other adverse effects

Other adverse effects None known.

| Name  | Acute toxicity (Fish)                           |      | Acute toxicity (Aquatic plants)             |  |
|---|---|------|---|--|
|   | LC50 10000.00ppm Freshwater Fish                |      |   |  |
| Alcohols, C12-14(even numbered),<br>ethoxylated < 2.5 EO, sulfates,<br>sodium salts | LC50 >10.00mg/l Leuciscus idus<br>(Golden Orfe) | 6, 1 | EC50 >100.00mg/l<br>Scenedesmus Subspicatus |  |

## Section 13: Disposal considerations

**Waste management** When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

### 13.1 Waste treatment methods

**Disposal methods** Dispose of waste and residues in accordance with local authority requirements.

## **Section 14: Transport information**

## 14.1 UN number

UN no. (ADR)
UN no. (IMDG)
Not applicable.
UN no. (IATA)
Not applicable.

## 14.2 UN proper shipping name

ADR proper shipping name Not applicable.

IMDG proper shipping name Not applicable.

IATA proper shipping name Not applicable.

## 14.3 Transport hazard class(es)

ADR class
IMDG class
IATA class
Not applicable.
Not applicable.

Transport labels Not applicable

#### 14.4 Packing group

ADR/RID/ADN packing group Not applicable.

IMDG packing group Not applicable.

IATA packing group Not applicable.

### 14.5 Environmental hazards

ADR No IMDG No IATA No

### 14.6 Special precautions for user

EMS Not applicable.
Emergency action code Not applicable.
Hazard no. (ADR) Not applicable.
Tunnel restriction code Not applicable.

### 14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

# **Section 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals

(REACH).

**Approved code of practice** Workplace Exposure Limits Guidance Note EH40/2005.

2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens)

Regulations (2001-2019)

**Chemical safety assessment** No chemical safety assessment has been carried out.

## **Section 16: Other information**

General information This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.

**Revision comments**This is a third issue. [2]Information updated. [3]Information updated. [4]Information updated. [5]Information updated. [7]Information updated.

 $[9] Information\ updated.\ [10] Information\ updated.\ [11] Information\ updated.\ [12] Information$ 

 $updated.\ [15] Information\ updated.$ 

**Revision date** 17 November 2020 **Supersedes date** 07 December 2017

Revision 3

Safety data sheet status Approved.

## Hazard statements in full

| H315 | Causes skin irritation.    |
|------|----------------------------|
| H318 | Causes serious eye damage. |

**H412** Harmful to aquatic life with long lasting effects.

**H226** Flammable liquid and vapour.

**H304** May be fatal if swallowed and enters airways.

**H317** May cause an allergic skin reaction.

**H410** Very toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.
 H225 Highly flammable liquid and vapour.
 H336 May cause drowsiness or dizziness.

**H411** Toxic to aquatic life with long lasting effects.

 ${\bf H361} \hspace{1.5cm} {\bf Suspected\ of\ damaging\ fertility\ or\ the\ unborn\ child\ }.$ 

H302 Harmful if swallowed.H400 Very toxic to aquatic life.

**H413** May cause long lasting harmful effects to aquatic life.

## Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.